

RAPPLON® Elastic Belts



Easy installation and safe tracking is our solution.

Ammeraal Beltech, one of the leading belting suppliers world-wide, offers a complete range of RAPPLON® elastic flat belts.

Safe tracking and dimensional stability

The combination of dimensional stability with easy tracking makes this range absolutely maintenance-free. Just fit and forget! The selected prime materials to manufacture RAPPLON® elastic belts are highly reliable and demand lower tension which preserves your bearings, extending the overall lifetime of belt and equipment.



RAPPLON® Elastic Belts

Easy installation and safe tracking is our solution


Easy and reliable splice

Our belt range distinguishes itself with a high end splicing quality thanks to carefully selected raw materials and our RAPPLON® QuickSplice joining system. Our unique, easy-to-use and fastest splicing method contributes to reduce your down-time at any time of day or night allowing your own staff to replace the belts. No need for costly outside-fitters anymore!

Safe tracking and dimensional stability

The combination of dimensional stability with easy tracking makes this range absolutely maintenance-free. Just fit and forget! The selected prime materials to manufacture RAPPLON® elastic belts are highly reliable and demand lower tension which preserves your bearings, extending the overall lifetime of belt and equipment.

Our belts can be equipped with high grip cover XNBR elastomer ensuring extremely efficient operations or gentle cover made of fleece (non-woven) avoiding damaging of delicate goods during your process.



Post Printing Applications

Trouble-free finishing of your printed products

RAPPLON® Elastic Belts are preferred specially in the mail room after the printing department. Thanks to their high grip and the optimal elasticity our belts fulfil exactly your demand ensuring highest efficiency at high speeds adapting itself perfectly to the diversity of your printed matters. Most machineries in this department are equipped with common shafts where only elastic belts come into consideration to operate without difficulty.

RAPPLON® Elastic Belts are your clever choice for any kind of light weight application in your mail room like feeding, inserting, punching, packaging, cutting, aligning, jogging, labelling, ... Replacing belts has become elementary thanks to our QuickSplice joining system and maintains your down-times to a minimum without need for external fitters or annoying dismantling of machines. Save time and money!



Mail Sorting Applications

Handling letters efficiently and carefully

As one of the major suppliers to leading OEMs of integral letter sorting systems we continuously strive to meet exact demands of this industry.

RAPPLON® Elastic Belts are easy to fit on fixed shafts and handle mail pieces of varying thicknesses perfectly.

Our special gentle fleece cover avoids marking or damaging the letters on stackers. It also protects the letter when transported by the belt at the bull wheel section, compensating superbly the speed difference between outer and inner belt. The anti-static properties and specific surface finishes reduce dust generation and dust transfer while it facilitates releasing the processed letters safely. The effective black cover of our RAPPLON® GG N15 FFQ increases the functionality of video coding reading system due to less reflection and higher contrast.



RAPPLON® TU N20 FQ

An elastic belt with an extremely low friction running side

Transport belts running over slider beds demand low friction on the running side to minimise the wear specially on wider belts. Our RAPPLON® TU N20 FQ is composed of a polyamide fabric at the bottom side and handles conveyor duties perfectly without losing the known benefits of elastic flat belts.

Preserve your bearings and save energy thanks to the low load on shafts generated by this belt. The polyurethane conveyor surface is easy to clean and offers medium friction ensuring the necessary grip to transport different light materials.



Perfectly flat laying belt guarantees trouble free operation

Unique features outstanding offering advantages for your benefit

Feature	Advantage	Benefit
High grip elastomer covers	High efficiency at high speed	Maximal output
No lifting of edges	Belt lays flat	Trouble-free operation
No elongation	No re-tensioning needed	Just fit and forget
High elasticity	Low load on shafts and bearings	Simple tracking and gentle on bearings
Fleece cover material	Medium friction and gentle	Not damaging nor marking papers and letters
QuickSplice Joining Technology	Easy and fast on-site belt splicing No glue required	Less down time maximising production output Highest safety for maintenance staff No need to dismantle machines
Antistatic properties	Avoiding electrostatic charges	Safety in dusty and dry environment

Technical Data

Item code	RAPPLON® Belt description	Thickness in mm	K6% in N/mm dynamic	Recommended tension %	Min. pulley Ø at 20°C in mm	Thermal operational area in °C
54262	GG N08 RRQ	1.60	0.8	2.0-6.0	15	+0 / +60
54585	GG N15 FFQ	1.40	1.5	2.0-6.0	15	+0 / +60
54263	GG N22 RFQ	1.50	2.2	2.0-6.0	15	+0 / +60
54608	GG N27 RFQ	1.70	2.7	2.0-6.0	15	+0 / +60
54547	GV N20.17 RQ	1.70	2.0	0.5-2.0	15	+0 / +60
54557	UV N12 FQ	1.50	1.2	0.5-1.5	20	+0 / +60
54587	TU N20 FQ	1.25	2.0	2.0-6.0	20	+0 / +60

Local Contacts

... and 150 more service contact points
at ammeraalbeltech.com

Argentina

T +54 11 4218 2906
info-ar@ammeraalbeltech.com

Australia

T +61 3 8780 6000
info-au@ammeraalbeltech.com

Austria

T +43 171728 133
info-de@ammeraalbeltech.com

Belgium

T +32 2 466 03 00
info-be@ammeraalbeltech.com

Canada

T +1 905 890 1311
info-ca@ammeraalbeltech.com

Chile

T +56 2 233 12900
info-cl@ammeraalbeltech.com

China

T +86 512 8287 2709
info-cn@ammeraalbeltech.com

Colombia

T +57 893 9890
info-co@ammeraalbeltech.com

Czech Republic

T +420 567 117 211
info-cz@ammeraalbeltech.com

Denmark

T +45 7572 3100
info-dk@ammeraalbeltech.com

Finland

T +358 207 911 400
info-fi@ammeraalbeltech.com

France

T +33 3 20 90 36 00
info-fr@ammeraalbeltech.com

Germany

T +49 4152 937-0
info-de@ammeraalbeltech.com

Hungary

T +36 30 311 6099
info-hu@ammeraalbeltech.com

India

T +91 44 265 34 244
info-in@ammeraalbeltech.com

Israel

T +972 4 6371485
info-il@ammeraalbeltech.com

Italy

T +39 051 660 60 06
info-it@ammeraalbeltech.com

Japan

T +81 52 433 7400
info-jp@ammeraalbeltech.com

Luxembourg

T +352 26 48 38 56
info-lu@ammeraalbeltech.com

Malaysia

T +60 3 806 188 49
info-my@ammeraalbeltech.com

Mexico

T +52 55 5341 8131
info-mx@ammeraalbeltech.com

Netherlands

T +31 72 57 51212
info-nl@ammeraalbeltech.com

Poland

T +48 32 44 77 179
info-pl@ammeraalbeltech.com

Portugal

T +351 22 947 94 40
info-pt@ammeraalbeltech.com

Singapore

T +65 62739767
info-sg@ammeraalbeltech.com

Slovakia

T +421 2 55648541-2
info-sk@ammeraalbeltech.com

South Korea

T +82 31 448 3613-7
info-kr@ammeraalbeltech.com

Spain

T +34 93 718 3054
info-es@ammeraalbeltech.com

Sweden

T +46 44 780 3010
info-se@ammeraalbeltech.com

Switzerland

T +41 55 2253 535
info-ch@ammeraalbeltech.com

Thailand

T +66 2 902 2604-13
info-th@ammeraalbeltech.com

Turkey

T +90 232 877 0700
info-tr@ammeraalbeltech.com

United Kingdom

T +44 1992 500550
info-uk@ammeraalbeltech.com


United States

T +1 847 673 6720
info-us@ammeraalbeltech.com


Vietnam

T +84 8 376 562 05
info-vn@ammeraalbeltech.com


**Expert advice, quality solutions
and local service
for all your belting needs**



Synthetic Belts



Engineered Belts



Endless Woven Belts



Homogeneous Belts



Modular Belts



Fabrication & Service

General contact information:

Ammeraal Beltech
P.O. Box 38
1700 AA Heerhugowaard
The Netherlands

T +31 (0)72 575 1212
info@ammeraalbeltech.com

ammera.com